ADS2800W



Keep your information moving

ADS2800W

Wired & Wireless Network Document Scanner




















Network Scanning...

Information on the Move



Offering true network capability, business critical information can be sent directly to a desired Network folder location, improving workflow efficiency and increasing productivity. The ADS2800W also supports programmable scan destinations from the 3.7" colour touchscreen, for instant, one touch scanning.



Secure Function Lock (SFL) allows user restrictions to be put in place for function management and improved security.



ADS 2.0 scanners efficiently process a wide range of mixed document materials, paper weights, colours, sizes and also plastic cards.



The scan to USB host feature allows the connection of an external storage flash drive up to 64 GB so users can instantly make their scanned documents portable.



Multifeed Detection uses sound waves to identify potential misfeeds. The paper pathway is automatically suspended and the user alerted if an irregular signal is detected, reducing the risk of damaged documents and lost data.

The Advanced Reverse Roller system manages incoming bulk paper jobs so only one sheet is processed at a time, for outstanding reliability when scanning a variety of document types and weights.

- Incorporating Hi-Speed USB 2.0 for fast processing.
- The ADS2800W supports TWAIN and ISIS drivers for software integration and image processing.

Wired & Wireless Network

ADS 2.0 document scanners offer true Network scanning without having to log on to a central PC or install software at multiple location points. Share information across teams and departments with minimum user involvement. The ADS2800W has both Wired and secure Wireless connectivity for deployment and work station flexibility.

Colour Touchscreen

Predefined one touch scanning from the 3.7" colour touchscreen helps to prevent the risk of inaccurate filing and lost scans, by ensuring scans can be sent directly to a desired location with one simple command.

Brother Solutions Interface

Brother Solutions Interface (BSI) is a software platform that enables third-party developers to build custom solutions that integrate with Brother devices. Customised menus and screens can be created to provide new functionality, helping you improve operations while also helping to reduce costs, wastage and risk.

Kofax VRS® Compatible

An industry leader in image processing software that dynamically evaluates each scanned page and automatically applies the correct image quality settings.

Fast Input, Reliable Output

The ADS 2.0 range uses a wider output tray to neatly capture paper fed through the ADF. Trays are angled to encounter less paper resistance so paper can glide easily and stack smoothly, reducing paper folds. The ADS2800W boasts scan speeds of up to 60ipm (30ppm) with a 50 sheet capacity document feeder capable of scanning 27 to 413gsm paper weights.

Range of Scan Features

To support cross function scanning, the ADS2800W scans to Cloud services, email, email server, File, Image, Network, OCR software, SharePoint, USB Host, FTP and the Web.

Specifications:

Scanner Type	Dual CIS
Standard Interfaces	Wireless 802.11 b/g/n, Gigabit Ethernet 10/100/1000Base-T, High Speed USB 2.0. WiFi Direct
Network Connectivity	Yes (wired and wireless)
Paper Input Capacity	50-sheet capacity ADF
Scan Speed*	30 ppm (color and mono)
Duplex Scan Speed*	60 ipm (color and mono)
Display	3.7" Swipe Color TouchScreen Display
Document Size (maximum)	215.9mm (W) x 335.6mm(L)^
Document Size (minimum)	51mm (W) x 51mm (L)
Paper Weights (thickness)	27-413 gsm
Plastic Card Weights (thickness)	Embossed up to 1.4mm
Scan Resolution (maximum)	Optical: 600 x 600 dpi; Interpolated: 1200 x 1200 dpi
Color Bit Depth	30 bit int./ 24 bit ext.
Grayscale Bit Depth	256 levels
Scan To Capability	PC (file, image, e-mail, and OCR), print, FTP/SFTP, e-mail server, network, Microsoft SharePoint, USB flash drive [‡] , cloud applications [△] , and mobile devices via Brother iPrint&Scan ^v
Other Features^^	Auto Scan size, Auto Deskew, Skip Blank Page, Auto Colour Detection, Auto Image Rotation, Background Processing, Binarizaton, Blurred Character Correction, Boldface formatting, Colour Dropout, Colour tone adjustment, Edge Fill, Edge Emphasis, Margin Setting, Noise Reduction, Multifeed Detection, Punch Hole Removal, Quiet Mode, Carrier Sheet Mode, One Sheet Scan, Plastic Card Mode, Remove Ruled Lines, Detect End of Page, File naming, Brother Solutions Interface (BSI), Secure Function Lock (ver 3.0), Active directory authentication, Setting Lock, WPS, LDAP
Included Software	ABBYY® FineReader Sprint v.12, ABBYY® PDF Transformer+ (Windows®), Nuance™ PaperPort 14 SE (Windows®), and Brother Control Center
Operating Systems Compatibility	PC: Windows® 10, Windows® 8.1, Windows® 8, Windows® 7, Windows Vista®, Windows® XP (32-bit only Mac®: Mac® OS X v10.8.x and up / Linux®
Mobile Device Compatibility	Yes (Brother iPrint&Scan, Brother Scan Viewer for IOS/OSX, Image Viewer for Android)*
Advanced Security	Secure Function Lock 3.0, Active Directory
USB Direct Interface	Yes
Drivers	TWAIN 2.2, WIA, ISIS, SANE, ICA
Compatibility Certification	Kofax VRS ^{®±}
Daily Duty Cycle†	Up to 2,500 scans/day
Power Consumption	Approx. 27W (Scanning); Approx. 3.7W (Ready Mode); Approx. 1.9W (Sleep Mode)
Dimensions (W x D x H) / Weight	306 x 258 x 250 mm / 4.5 kg
Warranty	1-year warranty

- A Requires Internet connectivity and account with desired service; additional purchase may be required. See www.connectprintshare.com for details.
 Requires connection to a wireless network. See www.connectprintshare.com for details, availability, and mobile device compatibility.
 ± Windows® only. Compatible with Kofax VRS® versions 5.1 and up. Additional purchase required.
 † Maximum number of scanned pages per day can be used to compare designed durability between like Brother products. For maximum product life, it is best to choose a scanner with a daily duty cycle that
- exceeds your requirements.

 Color and monochrome scan speed with all advanced features turned off, LTR at 300dpi. See www.brother.com for details.
- Single sheet single-sided, 14-29lb. bond. USB memory drive not included.
- ‡ USB memory drive not included. ^^ All Available with supplied software.

















Brother International (HK) Ltd.

Unit 620-622 & 626, 6/F, Ocean Centre, 5 Canton Road, Tsim Sha Tsui, KLN, H.K.

★ Hotline: 3187 0500

www.brother.com.hk